Cohomorphisms of graphs

Gejza Jenča

Slovak University of Technology Bratislava

November 25, 2022

This research is supported by grants VEGA 2/0142/20 and 1/0006/19 and by the Slovak Research and Development Agency under the contracts APVV-18-0052 and APVV-20-0069.

\sim				\sim
Ge	Iza	J	en	ca

<ロ > < 同 > < 三 > < 三 > < □ > <

 $\mathcal{O}\mathcal{Q}\mathcal{O}$



Definition A graph G is

Gejza Jenča

5900

< □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □

Graphs

Definition

A graph G is

• a pair of sets (G_0, G_1) (called *vertices* and *darts*) and

590

< □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □

Graphs

Definition

A graph G is

- a pair of sets (G_0, G_1) (called *vertices* and *darts*) and
- a pair of maps $s, t: G_1 \rightarrow G_0$ (called *source* and *target* maps).

 $\mathcal{O}\mathcal{Q}\mathcal{O}$

Definition

A homorphism $f: G \to H$ of graphs is a pair of maps $f_0: G_0 \to H_0$ and $f_1: G_1 \to H_1$ such that for all $d \in G_1$,

 $f_0(s(d)) = s(f_1(d))$ and $f_0(t(d)) = t(f_1(d))$.

 $\mathcal{O} \mathcal{Q} \mathcal{O}$

<ロト < 団ト < 巨ト < 巨ト = 巨





▲□▶ ▲□▶ ▲□▶ ▲□▶ ▲□ ● ● ●

• If (f_0, f_1) : $G \to H$ is a graph homorphism, the f_1 map "transports darts in the same direction as f_0 , consistently with f_0 ".

- If (f_0, f_1) : $G \to H$ is a graph homorphism, the f_1 map "transports darts in the same direction as f_0 , consistently with f_0 ".
- In a cohomomorphism (ϕ_0, ϕ_1) : $G \to H$, the ϕ_1 map "transports darts in the opposite direction as ϕ_0 , consistently with ϕ_0 ".

Definition

• Let G, H be graphs, let $\phi_0: G_0 \to H_0$.

• Write

$$P_{\phi} = \{(v, d) \in G_0 \times H_1 \mid \phi_0(v) = s(d)\}$$

• Let $\phi_1 : P_{\phi} \to G_1$ be a mapping such that • $s(\phi_1(v, d)) = v$ • $\phi_0(t(\phi_1(v, d))) = t(d)$

Then we say that (ϕ_0, ϕ_1) : $G \to H$ is a *cohomomorphism* of graphs.

 \mathcal{A}



 $\mathcal{O} \mathcal{Q} \mathcal{O}$

Ð,

- The notion of a graph cohomomorphism is a decategorification of the notion of a *cofunctor*.
- Cofunctors appeared in 1990's, they seem to be rediscovered independently by several people.
- There are some nice papers/preprints/talk by B. Clarke, that exhibit cofunctors as (backward part of) generalized *lenses* – a notion originally from computer science.
- Clarke uses (very appropriately) double categories to deal with functors and cofunctors simultaneously.

토 🕨 🖌 토 🕨 🛛 토

- Homomorphisms of graphs form a category, called **Graph**.
- Cohomomorphisms of graphs form a category, called Lift.
- **Graph** is a complete and cocomplete category (even a topos).
- What about products in **Lift**?

3

Box product

Definition

Let G, H be graphs. The box product $G \Box H$ is the graph with

•
$$(G \Box H)_0 = G_0 \times H_0$$

• $(G \Box H)_1 = (G_0 \times H_1) \sqcup (G_1 \times H_0)$
• $s(a, d) = (a, s(d))$ $\xi(a, d) = (a, t(d))$
 $s(d, b) = (s(d), b)$ $t(d, b) = (t(d), b)$

÷.

 $\mathcal{O}\mathcal{Q}\mathcal{O}$

< □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > <



November 25, 2022 11 / 20

E

 $\mathcal{O} \mathcal{Q} \mathcal{O}$

• □ ▶ • @ ▶ • 差 ▶ • 差 ▶

Theorem

The box product is the product in the category Lift.



\sim ·		\sim
(-0.72)	an	C7
GEIZA		La

November 25, 2022 12 / 20

590

Monoids

- Hence \Box gives us a (cartesian) monoidal structure on **Lift**.
- Monoids with respect to □ in Lift are strange. I do not know what they are.
- However, the usual direct product × of graphs (that means, product in **Graph**) gives us a (non-cartesian) monoidal structure on **Lift**.

3

 \mathcal{A}

- 4 🗇 ▶

Direct product of graphs Х Y 67 XZ 20 de L W MW

November 25, 2022 14 / 20

₹.

5900

<ロト < 団 ト < 巨 ト < 巨 ト</p>

What are monoids with respect to \times ?

- It is clear that the 0-reduct of a monoid in Lift is a usual monoid in Set.
- So a monoid A in **Lift** is a **Set**-monoid equipped with a graph structure (darts between the elements of A) such that some conditions are satisfied.

3

 $\mathcal{A} \mathcal{A} \mathcal{A}$

Example

- Let (A, +, ., 0, 1) be a semiring.
- Then (A, +, 0) is a monoid.
- For $a, b \in A$, darts from a to b are in one-to-one correspondence with divisors:

$$a \xrightarrow{k} b$$

iff a.k = b.

This is a monoid in (**Lift**, \times , 1):

xk+yk=ak

 $\mathcal{A} \mathcal{A} \mathcal{A}$

Comonoids

From now on, graphs will be simple:



What are comonoids in (Lift, \times , 1)?

- Similarly as for monoids, the 0-reduct of a comonoid in **Lift** must be comonoid in **Set**.
- But comonoids in Set are very simple things: every set S is a comonoid in exactly on way:

$$S \xrightarrow{\Delta_S} S \times S \qquad S \xrightarrow{!} 1$$

where $\Delta_S(x) = (x, x)$.

3

< □ > < □ > < □ > < □ > < □ > < □ > < □ >

Comonoids





590

18/20

Comonoids



Theorem

Comonoids in (Lift, \times , 1) are monounary algebras.

<ロト < 団 > < 国 > < 国 > < 国 > -

1

 $\mathcal{O} \mathcal{Q} \mathcal{O}$

Bimonoids

A *bimonoid* is a monoid and, at the same time a comonoid such that certain conditions are satisfied.

Theorem

Bimonoids in (Lift, \times , 1) are monoids equipped with a monoid endomorphism.

Theorem

Hopf monoids in Lift are groups equipped with an endomorphism.

 \mathcal{A}

< □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □